Accessories Guide

SKYPANEL

SkyPanel Accessories Guide

Table of Contents

Lamphead Control
Stellar 4
SkyLink 6
SkyPanel Remote 8
Diffusion
Diffusion Panels 10
Intensifier 12
Remote Phosphor
Remote Phosphor Panels 14
Light Control
SkyBender 16
4-leaf Barndoor 18
FlexDoor 20
Eggcrates 21
Honeycomb 60° and 30° 22
Snoot 24
Extra Diffusion Slot 25
Softboxes
Chimera Lightbank with Brackets 26
Chimera POP Bank 28
DoPchoice SnapBag 30
DoPchoice SnapBox for S360 32
DoPchoice Snoot for S360 33
Chimera Lantern with Skirt for S30 and S60 34
Chimera Lantern with Skirt for S360 35
DoPchoice Octagon for S30 36
Chimera Octagon for S60 37
DoPchoice Octagon for S60 38
DoPchoice SnapGrid 40° 40
DoPchoice SnapGrid 40° for SnapBag 41
DoPchoice SnapGrid 40° for Octa 42
DoPchoice Eyelights for Octa 4 43
Mounting
Center Mount Yoke 44
Fixed Center Mount Yoke 45
SkyPanel Center Mount Handling Kit 46
SkyPanel Side Handles 47
Double Vertical Yoke 48
Short Yoke for S360 49
Battery Adapters
Battery Adapter Plate for Anton/Bauer 50
V-Mount Battery Adapter Plate 51
B-Mount Battery Adapter Plate 52
Cables
Mains Cables, powerCON TRUE1 TOP 54
Mains Cables, powerCON for S360 55
Daisy Chain Cables 56
DC Cables (XLR) SkyPanel 58
DC Cables for SkyPanel S360 59
PSU Attachments
Rail Mount Adapter for SkyPanel PSU 60
Super Clamp Adapter for SkyPanel PSU 61
Space Light
Space Light Silk Mounting Adapter S60 62
Safety
Safety Cables 63
Cases and Bags
Cases for S30, S60 and S120 64
Case for S360 66
SkyPanel Accessory Panel Bags 68
SkyPanel Diffusion Kits 69
Resources and Contacts
ARRI Sales Contacts 70
ARRI Service Contacts 72
Online Resources 74

Table of Contents

Lamphead Control

Stellar

Stellar – the lighting control app from ARRI – provides a smart and innovative way to control professional lighting and is available on iOS and Android phones and tablets. Stellar reimagines lighting control by automatically taking care of complex DMX settings and by featuring control interfaces with beautifully designed graphics. Coded intelligence and advanced communication make connecting ARRI Orbiter, SkyPanel, and L-Series fixtures to the app simple and straightforward. After using Stellar, it will be difficult to go back to controlling lights in any other way.

www.arri.com/stellar

Download on the App Store

GET IT ON Google Play

- Control of ARRI and third party fixtures
- Manually add fixtures
- Swap out fixtures
- Grouping fixtures with different CCT ranges
- Share, Sync and backup your work
- Brings gels to the L-Series
- Intuitive and well designed user interface
- Light plot fixture selection
- Auto layout and discovery of fixtures
- Available on iOS and Android

Lamphead Control

Lamphead Control

SkyLink

SkyLink is a two-part system that allows for wireless DMX and RDM communication to Orbiter, SkyPanels and L-Series Fresnels. The SkyLink receiver and the SkyLink base station use LumenRadio for DMX/RDM communication. A WiFi chip in the base station allows for direct control from a DMX control application on a tablet or computer. SkyLink Wifi Range Extender improves the stability and coverage of communication. Setting up a control network has never been easier.

- Two part system: SkyLink receiver & SkyLink base station
- Wireless for all capable devices, incl. Orbiter, SkyPanel & L-Series
- WiFi to wireless DMX
- Fully RDM capable
- Outstanding range
- Available in kits or individually

L2.0016357	SkyLink Receiver
L2.0016359	SkyLink Base Station - Edison
L2.0016360	SkyLink Base Station - Schuko

L0.0020060	SkyLink 3 Receiver Kit - Edison
L0.0020058	SkyLink 3 Receiver Kit - Schuko
L0.0023970	SkyLink 3 Receiver Kit - AUS/NZ
L0.0020062	SkyLink 10 Receiver Kit - Edison
L0.0020061	SkyLink 10 Receiver Kit - Schuko
L0.0023969	SkyLink 10 Receiver Kit - AUS/NZ

L2.0019288	SkyLink Wifi Range Extender

Lamphead Control

SkyPanel Remote

The SkyPanel Remote adds new flexibility and ease-of-use for the SkyPanel. This handheld remote connects to any SkyPanel via a USB cable and allows for full control of the fixture remotely. This is particularly useful if the SkyPanel is high up on a light stand or in a position where the onboard control panel is difficult to access.

- Ergonomic design for handheld use
- Comes with 5 m (16.4 ft) USB Cable and fabric carrying pouch
- Can be used with any SkyPanel lamphead

L2.0022690	SkyPanel Remote

These accessories come with the purchase of the SkyPanel Remote but can also be purchased separately.

L2.0013861	SkyPanel Remote USB Cable, 5 m

L2.0013945	SkyPanel Remote Carrying Pouch

Lamphead Control

Diffusion

Diffusion Panels

L2.0007327	Lite Diffusion S30
L2.0007325	Standard Diffusion S30
L2.0007326	Heavy Diffusion S30

L2.0003904	Lite Diffusion S60
L2.0003345	Standard Diffusion S60
L2.0003903	Heavy Diffusion S60

L2.0009502	Lite Diffusion S120
L2.0009501	Standard Diffusion S120
L2.0009500	Heavy Diffusion S120

L2.0015016	Lite Diffusion S360-C
L2.0015014	Standard Diffusion S360-C
L2.0015013	Heavy Diffusion S360-C

SkyPanel Lite, Standard and Heavy Diffusion panels have been developed to work perfectly with the SkyPanel-C models. Standard Diffusion (105° HPA) panel offers medium diffusion and produces optimal light output and beam quality. The Lite Diffusion (107° HPA) is less diffuse and therefore allows more light to pass through, while the Heavy Diffusion (114° HPA) is more diffuse and allows less light through, but provides a softer beam quality.

- Produces homogeneous beam of light with great output
- Plastic diffusion material and rugged metal frame

Diffusion

Intensifier

L2.0007823	Intensifier S30-C

L2.0007818	Intensifier S60-C

L2.0009503	Intensifier S120-C

L2.0015022	Intensifier S360-C

This intensifier panel for SkyPanel* increases light output by up to 50% while maintaining a soft, even beam of light. The increase in output is achieved by capturing some of the light going off to the side and refocusing it in a more forward direction. Light output in the center is thereby intensified and yet the quality of the light is retained.

- Increased output up to 50%
- Maintains homogeneous, soft beam of light
- 74° Half Peak Angle

***The intensifier does not work with -RP models of the SkyPanel.**

Remote Phosphor

Remote Phosphor Panels

L2.0007520	Remote Phosphor Panel S30 - 2700K - CRI 98
L2.0007521	Remote Phosphor Panel S30 - 3200K - CRI 98
L2.0007522	Remote Phosphor Panel S30 - 4300K - CRI 98
L2.0007523	Remote Phosphor Panel S30 - 5600K - CRI 94
L2.0007524	Remote Phosphor Panel S30 - 6500K - CRI 93
L2.0007789	Remote Phosphor Panel S30 - 10,000K - CRI 90
L2.0007525	Remote Phosphor Panel S30 - Chroma Green

L2.0003347	Remote Phosphor Panel S60 - 2700K - CRI 98
L2.0003348	Remote Phosphor Panel S60 - 3200K - CRI 98
L2.0003349	Remote Phosphor Panel S60 - 4300K - CRI 98
L2.0003350	Remote Phosphor Panel S60 - 5600K - CRI 94
L2.0003346	Remote Phosphor Panel S60 - 6500K - CRI 93
L2.0007778	Remote Phosphor Panel S60 - 10,000K - CRI 90
L2.0003351	Remote Phosphor Panel S60 - Chroma Green

Remote phosphor panels for the SkyPanel-RP models are available in six color temperature versions with excellent color rendition. There is also a chroma green version for lighting green screens available.

- Excellent Color Rendition
- Produces a homogeneous and soft beam of light

Remote Phosphor

Light Control

SkyBender

L2.0010271	SkyBender S30-C
L2.0009611	SkyBender S60-C
L2.0010352	SkyBender S120-C

The SkyBender for SkyPanel -C versions produces a uniform intensity light field over the length of any surface, transforming the beam by simply sliding into the front of the fixture. This is the perfect accessory for lighting a green screen, creating color wall washes, lighting a translight or backdrop, or evenly lighting a cyclorama.

- Additional Versatility
- +/- 1/6 F-Stop Uniformity
- Smooth & Even Distribution
- Lightweight design
- Slides into the primary accessory slot

SkyBenders cannot be used with -RP versions of SkyPanel.

Light Control

4-leaf Barndoor

L2.0008187	4-leaf Barndoor S30
L2.0007530	4-leaf Barndoor S60
L2.0010114	4-leaf Barndoor S120
L2.0012833	Spill frame for Barndoor S120

The 4-leaf barndoor for the SkyPanel allows for control of light spill and narrowing of the beam angle. Additional small flaps protect against light leak between the lamphead and the barndoors.

- Lightweight and Rugged Design
- Two safety hooks to hold the barndoor in place
- 4-leaf design with light leak flaps*
- Slides into outer accessory slot allowing for changing of diffusion panels without the removal of the barndoors

*The S120 barndoor does not have light leak flaps. The spill frame for the S120 will prevent lightleak on all four sides. The spillframe works in conjunction with the S120 barndoor and slides into the accessory slot.

Light Control

Light Control

FlexDoor

The FlexDoor is a lightweight, fabric barndoor that provides control over light spill and direction. It has a top and bottom leaf that can be positioned and tilted independently.

- Lightweight, fabric barndoor for the S30, S60 and S120
- 2-leaf design
- Snap-on attachment
- Tilt control of the top and bottom flags

L2.0013877	FlexDoor S30
L2.0013878	FlexDoor S60
L2.0012922	FlexDoor S120

Eggcrates

This eggcrate is 130 mm thick (5.1 inches) and controls light by limiting the half peak angle to 60°. The eggcrates have a 4, 8 and 16 chamber design for the S30, S60 and S120 - respectively.

- 4, 8 and 16 chambers design allows for minimal light loss
- 130 mm (5.1 inches) thick
- 60° HPA
- Rugged design
- Extra accessory slot for stacking other SkyPanel accessories
- Slides into the primary accessory slot

L2.0008048	4-Chamber Eggcrate S30
L2.0007977	8-Chamber Eggcrate S60
L2.0009690	16-Chamber Eggcrate S120

Light Control

Honeycomb 60° and 30°

L2.0008064	Honeycomb 60° for S30
L2.0008065	Honeycomb 30° for S30

L2.0008058	Honeycomb 60° for S60
L2.0008059	Honeycomb 30° for S60

L2.0009561	Honeycomb 60° for S120
L2.0009562	Honeycomb 30° for S120

L2.0014979	Honeycomb 60° for S360
L2.0014978	Honeycomb 30° for S360

The Honeycomb for the SkyPanel controls the light by reducing the beam angle to approximately 60 or 30 degrees.

- Honeycomb design reduces multiple shadows
- 14 mm (0.6 inches) thick
- ~60° and 30° Half Peak Angle (HPA)
- Slides into the primary accessory slot

Light Control

Snoot

This SkyPanel snoot is 130 mm thick (5.1 inches) and controls light, not allowing spill light from the sides of the lamphead.

- Straight wall snoot with one large chamber
- 130 mm (5.1 inches) thick
- Rugged design
- Extra accessory slot for stacking other SkyPanel accessories
- Slides into the primary accessory slot

L2.0008019	Snoot S30
L2.0007999	Snoot S60
L2.0009680	Snoot S120

Extra Diffusion Slot

The SkyPanel Extra Diffusion Slot slides into the primary accessory slot of the SkyPanel and allows for stacking for multiple diffusors.

- Fits all SkyPanel S30, S60 or S120 Diffusors
- Top safety latch
- Thin profile
- Slides into the primary accessory slot or the front of the SkyPanel Snoot or Eggcrate
- Extra accessory slot for stacking other SkyPanel accessories

L2.0008189	Extra Diffusion Slot S30
L2.0008188	Extra Diffusion Slot S60
L2.0009681	Extra Diffusion Slot S120

Softboxes

Chimera Lightbank with Brackets

L2.0021388	Chimera Lightbank with Brackets for S30

L2.0021389	Chimera Lightbank with Brackets for S60

L2.0021390	Chimera Shallow Lightbank with Brackets for S60

L2.0013180	Chimera Lightbank with Brackets for S120

L2.0015977	Chimera Universal Brackets for SkyPanel

The Lightbank and Brackets for the S30, S60 and S120 by Chimera is a professional grade soft box that increases the light aperture of the SkyPanel by roughly 100%. The lightbank comes with several diffusions and folds away for storage. The brackets mount to the side of the SkyPanel outer frame.

- Specially made for SkyPanel S30, S60 and S120
- Professional Grade Construction
- Video Pro front
- Includes: Lightbank, 2 brackets and three diffusions

Softboxes

Chimera POP Bank

L2.0020498	Chimera POP Bank for S30

L2.0020499	Chimera POP Bank for S60

L2.0021309	Chimera POP Bank for S120

L2.0033950	Chimera POP Bank for S360

The Chimera POP Bank is a new take on a classic design. With no frame or mounting hardware required, the Chimera POP Bank is easy to assemble and transport. This professional grade soft box will increase the light aperture of the SkyPanel and comes with a full and half diffusion. This soft bank is the perfect accessory for creating an even softer beam field.

- Specially made for all SkyPanels
- No mounting hardware required
- Professional Grade Construction
- Includes: Lightbank and two diffusions

Softboxes

DoPchoice SnapBag

L2.0008141	DoPchoice SnapBag for S30
L2.0008145	DoPchoice SnapBag for S60
L2.0010383	DoPchoice SnapBag for S120
L2.0020278	DoPchoice SnapBag 6x6' for S360

The SnapBag for the SkyPanel by DoPchoice attaches directly to the front of the SkyPanel and creates a larger aperture with beautiful soft light. The SnapBag easily folds away for storage.

- Specially made for SkyPanel S30, S60, S120 or S360
- Comes with 1/2 Grid Cloth Diffusion (only S30, S60, S120)
- Comes with Magic Cloth Diffusion (only S360)
- No mounting hardware required

Softboxes

DoPchoice SnapBox for S360

The SnapBox by DoPchoice for SkyPanel S360 is a deep light box for illuminating large areas for a wide beam spread. The SnapBox attaches to the front of the S360 and comes with diffusions and black covers for controlling the light.

- Light box with 5 diffused surfaces
- 400 mm (15.7 inches) depth
- No mounting hardware required
- Comes with Magic Cloth and Black sides for controlling the light
- Folds for easy storage

L2.0016382	DoPchoice SnapBox for S360 with skirt

DoPchoice Snoot for S360

The Snoot by DoPchoice for SkyPanel S360 is a fabric snoot which controls the light by preventing spill off to the sides of the fixture. The snoot is 150 mm deep and folds up for easy storage.

- Straight walled, fabric snoot with one large chamber
- 150 mm (5.9 inches) depth
- No mounting hardware required
- Comes with 3 Diffusions (1/4 & 1/2 Grid, and Magic Cloth)
- Folds for easy storage

L2.0016381	DoPchoice Snoot for S360 with three diffusions

Softboxes

Chimera Lantern with Skirt for S30 and S60

The SkyPanel Lantern made by Chimera is a great way to get near omni-directional light from the SkyPanel. The lantern easily attaches to the front of the SkyPanel and forms a ballon shape that produces soft light in almost all directions. This product comes with mounting brackets and a skirt for controlling the light.

- Comes with lantern, brackets and skirt
- Near full omni-directional light
- Folds down for easy transportation
- Skirt allows for light control
- Great for overhead lighting use

L2.0015899	Chimera Lantern with Skirt for S30
L2.0015900	Chimera Lantern with Skirt for S60

Chimera Lantern with Skirt for S360

The SkyPanel Lantern made by Chimera is a great way to get near semi-omni-directional light from the SkyPanel. The lantern easily attaches to the front of the SkyPanel S360 and Flat-top maximizes the space efficiency. No mounting brackets are needed to attach the lantern to the S360.

- Comes with lantern and skirt
- Near semi-omnidirectional light
- Folds down for easy transportation
- Skirt allows for light control
- Great for overhead lighting use

L2.0033951	Chimera Lantern with Skirt for S360

Softboxes

DoPchoice Octagon for S30

The DoPchoice Octa 4 for SkyPanel S30 uses a large aperture to generate extremely soft, yet bright light. The specially designed frame holds the S30 directly in the center of a 4 ft diameter octagon shaped light bank. The frame slides directly into the SkyPanel accessory slot. The DoPchoice Octa is perfect for beauty and still photography lighting.

- Robust frame slides directly in accessory slot of S30
- 4 ft (1.2 m) diameter Octa
- Super bright and super soft
- Perfect for beauty and still photography lighting
- Includes Magic Cloth and baffle

L2.0020274	DoPchoice Octa 4 for S30 incl. Frame

Chimera Octagon for S60

The Chimera Octagon 5 for SkyPanel S60 uses a large aperture to generate extremely soft, yet bright light. A frame holds the S60 directly in the center of a 5 ft diameter octagon shaped light bank. The frame slides directly into the SkyPanel accessory slot. The Chimera Octagon 5 is perfect for beauty and still photography lighting.

- Robust frame slides directly in accessory slot of S60
- 5 ft (1.5 m) diameter Octa
- Super bright and super soft
- Perfect for beauty and still photography lighting
- Includes front 1/2 diffusion and internal 1/2 diffusion baffle

L2.0033435	Chimera Octa 5 for S60, incl. Frame

Softboxes

DoPchoice Octagon for S60

L2.0016160	DoPchoice Octa 7 Set for S60 incl. Double Bracket
L2.0016163	DoPchoice Octa 5 Set for S60 incl. Double Bracket

L2.0016165	DoPchoice Octa 7 Light Bank for S60, without Bracket
L2.0016159	DoPchoice Octa 5 Light Bank for S60, without Bracket

L2.0036395	DoPchoice Bracket for 2 x S60

The DoPchoice Octa for SkyPanel uses a large aperture and two S60s to generate extremely soft, yet bright light. The specially designed bracket holds two S60s directly in the center of either a 7 ft or 5 ft diameter octagon shaped light bank. The DoPchoice Octa is perfect for overhead lighting or beauty lighting.

- Robust aluminum bracket for two S60s
- 5 ft (1.5 m) or 7 ft (2.1 m) diameter Octas available
- Super bright and super soft
- Mounts to any Junior (28 mm) receiver
- No SkyPanel stirrups required
- Perfect for overhead, beauty, and still photography lighting
- Double Bracket fits Octa 7 and Octa 5

Softbox Modifiers

DoPchoice SnapGrid 40°

The SnapGrid for the SkyPanel by DoPchoice attaches directly to the front of the SkyPanel and provides directional light control. In addition, the SnapGrip for S360 also attaches to the SnapBox for S360 or the Snoot for S360. The SnapGrid easily folds away for storage.

- Specially made for SkyPanel S30, S60, S120 or S360
- S30, S60 or S360 HPA: ~40°
- S120 HPA: ~40x60°
- No mounting hardware required

L2.0008142	DoPchoice SnapGrid 40° for S30
L2.0008144	DoPchoice SnapGrid 40° for S60
L2.0010382	DoPchoice SnapGrid 40x60° for S120
L2.0016383	DoPchoice SnapGrid 40° for S360

DoPchoice SnapGrid 40° for SnapBag

The SnapGrid for the SnapBag by DoPchoice attaches to the front of the SkyPanel SnapBag and provides directional light control. The SnapGrid easily folds away for storage.

- Specially made for SkyPanel S30, S60, S120 or S360 SnapBag
- HPA: ~40°
- No mounting hardware required

L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008143	DoPchoice SnapGrid 40° for SnapBag S60
L2.0010381	DoPchoice SnapGrid 40° for SnapBag S120
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360

Softbox Modifiers

DoPchoice SnapGrid 40° for Octa

The SnapGrid for the Octa by DoPchoice attaches to the front of the SkyPanel Octa and provides directional light control. The SnapGrid easily folds away for storage.

- Specially made for SkyPanel S30 and S60 Octas
- Provides directional light control
- Approx. 40° half peak angle (HPA)
- No mounting hardware required

L2.0020275	DoPchoice SnapGrid 40° for Octa 4
L2.0020276	DoPchoice SnapGrid 40° for Octa 5
L2.0020277	DoPchoice SnapGrid 40° for Octa 7

DoPchoice Eyelights for Octa 4

The Eyelights for Octa 4 by DoPchoice replace the front diffusion of the DoPchoice octagon. They provide a distinct ring light effect in eyes for beauty or portrait shooting, while generating soft skin tones. The Eyelights are a perfect addon for still photography lighting.

- 1/4 Grid Screen with 50 cm / 19.7" black circle in center
- Magic Cloth Screen with 50 cm / 19.7" black circle in center
- Baffle, black/soft silver, 60 cm / 23.6"
- Great for still photography lighting

L2.0035807	DoPchoice Octa 4 Eyelight 1/4 Grid
L2.0035808	DoPchoice Octa 4 Eyelight Magic Cloth
L2.0035809	DoPchoice Octa 4 Eyelight Baffle

Mounting

Center Mount Yoke

The Center Mount Yoke is a ball-in-socket yoke that allows for positioning the SkyPanel in almost any orientation including vertically. The Center Mount Yoke replaces the traditional stirrup and slides on to the rail mounting system located on the back of the SkyPanel.

- Ball-in-socket design
- 28 mm (Junior) Spigot with long "goose neck"
- +/- 90° Movement
- Tool-less attached to the rail mounting system on the SkyPanel
- Works with the SkyPanel S30, S60 and S120

L2.0008078	Center Mount Yoke

Fixed Center Mount Yoke

The Fixed Center Mount Yoke is a fixed 28 mm spigot that allows for direct attachment from the back of the SkyPanel to mounting hardware. The Fixed Center Mount Yoke replaces the traditional stirrup and slides on to the rail mounting system located on the back of the SkyPanel. Great for low ceilings or pointing the SkyPanel straight down or straight forward (i.e. a wall of SkyPanels)

- 28 mm (Junior) Spigot
- Tool-less attached to the rail mounting system on the SkyPanel
- Works with the SkyPanel S30, S60 and S120
- Comes with two safety loop brackets

L2.0008080	Fixed Center Mount Yoke

Mounting

SkyPanel Center Mount Handling Kit

The SkyPanel Center Mount Handling Kit includes the Center Mount Yoke and the Side Handles for SkyPanel S30, S60 and S120. The Center Mount Yoke is a ball-in-socket yoke that allows for positioning the SkyPanel in almost any orientation including vertically. It replaces the traditional stirrup and slides on to the rail mounting system located on the back of the SkyPanel. The SkyPanel Side Handles attach to the "ears" of any SkyPanel and improve fixture handling when using the Center Mount Yoke.

- For SkyPanel S30, S60 and S120
- Great to expand handling possibilities
- Includes Center Mount Yoke and SkyPanel Side Handles

L2.0015050	SkyPanel Center Mount Handling Kit

SkyPanel Side Handles

The SkyPanel Side Handles attach to the "ears" of any SkyPanel S30/S60/S120. The handles improve fixture handling when using the Center Mount Yoke. This is the perfect accessory for the SkyPanel S120.

- 2 plastic handles for the SkyPanel S30, S60 or S120
- Perfect when used with the SkyPanel Center Mount Yoke
- Attaches to stirrup mounting points
- Safety attachment integrated into design
- Cannot be used in conjunction with the standard or pole op yoke

L2.0014136	SkyPanel Side Handles (pair)

Mounting

Double Vertical Yoke

The Double Vertical Yoke allows for mounting of two SkyPanel fixtures one directly above the other.

- High strength Aluminum yoke
- Independent tilt of both lampheads
- 28 mm (Junior) Spigot
- High strength tilt locks

L2.0008098	Double Vertical Yoke S60
L2.0008184	Double Vertical Yoke S30
L2.0010180	Double Vertical Yoke S120

Short Yoke for S360

The Short Yoke for the SkyPanel S360 is designed for hanging the fixture facing downward. Hugging the back of the fixture, the Short Yoke provides a reduced distance between the fixture and the mounting point. The Short Yoke easily replaces the standard yoke for the S360 with the removal of four bolts.

- High strength steel yoke
- 28 mm (Junior) Spigot
- High strength tilt locks
- Low profile for hanging the S360 in the ceiling facing downward

L2.0015929	Short Yoke for S360

Battery Adapters

Battery Adapter Plate for Anton/Bauer

The Battery Adapter Plate for Anton/Bauer allows for the attachment of two Gold Mount style batteries to the SkyPanel. With a short cable, the battery adapter makes the SkyPanel truly mobile. Both batteries are required to supply the correct voltage to the lamphead.

- Supports two Gold Mount Batteries for Anton/Bauer (in series)
- SkyPanel Quick Release System
- On / Off switch
- 4-pin XLR output
- Includes 0.5 m and 3 m 4-Pin XLR cables
- Battery Min. Recommendation: 14.4 V, 100 Wh Capacity

L2.0008071	Battery Adapter Plate for Anton/Bauer*

***Only for S30, S60 or S120 SkyPanels.**

V-Mount Battery Adapter Plate

The V-Mount Battery Adapter for SkyPanel allows for the attachment of two V-Mount style batteries to the SkyPanel. With a short cable, the battery adapter makes the SkyPanel truly mobile. Both batteries are required to supply the correct voltage to the lamphead.

- Supports two V-Mount Batteries (in series)
- SkyPanel Quick Release System
- On / Off switch
- 4-pin XLR output
- Includes 0.5 m and 3 m 4-Pin XLR cables
- Battery Min. Recommendation: 14.4 V, 100 Wh Capacity

L2.0008070	V-Mount Battery Adapter Plate*

***Only for S30, S60 or S120 SkyPanels.**

Battery Adapters

B-Mount Battery Adapter Plate

The B-Mount Battery Adapter for SkyPanel allows for the attachment of one B-Mount style battery to the SkyPanel. With a short cable, the battery adapter makes the SkyPanel truly mobile. Only one battery is required to supply the correct voltage to the lamphead.

- One B-Mount battery port
- With one additional battery, hot swapping possible
- SkyPanel Quick Release System
- On / Off switch
- 4-pin XLR output
- Includes 0.5 m and 3 m 4-Pin XLR cables
- Battery Min. Recommendation: 28.8 V, 294 Wh Capacity

L2.0033989	Battery Adapter Plate for B-Mount*

***Only for S30, S60 or S120 SkyPanels.**

Battery Adapters

AC Cables

Mains Cables, powerCON TRUE1 TOP

The Mains Cables connect the SkyPanel PSU to a mains power outlet (110 - 250 V~, 50/60 Hz). Only for S30, S60 and S120 SkyPanels.

- Length: 3 m (9.8 ft.)
- powerCON TRUE1 TOP Connector (NAC3FX-W-TOP)
- Mains Connector (Schuko, Edison, Chinese, Japanese, Bare Ends)
- Insulated rubber cable H07RN-F 3G1,5, EN
- Rubber insulated cable SJO(OW) 3x14AWG, UL (Edison)
- Insulated rubber cable HVCTF 3x2,0, PSE (Japanese)

L2.0007516	Mains Cable, 3 m, powerCON TRUE1 TOP / Schuko
L2.0007515	Mains Cable, 3 m, powerCON TRUE1 TOP / Edison
L2.0007514	Mains Cable, 3 m, powerCON TRUE1 TOP / Chinese
L2.0010231	Mains Cable, 3 m, powerCON TRUE1 TOP / Japanese
L2.0005974	Mains Cable, 3 m, powerCON TRUE1 TOP / Bare Ends

Mains Cables, powerCON for S360

The Mains Cables connect the SkyPanel PSU to a mains power outlet (100 - 240 V~, 50/60 Hz).

- Length: 3 m (9.8 ft.)
- powerCON 32 A Connector (NAC3FC-HC)
- Mains Connector (Schuko, Edison, Chinese, Japanese, Bare Ends)
- Insulted rubber cable H07RN-F 3G1,5, EN
- Rubber insulted cable SJO (OW) 3x12AWG, UL (Edison)
- Insulated rubber cable HVCTF 3G5,5, PSE (Japanese)

L2.0015784	Mains cable S360, 3 m, powerCON 32A / Schuko
L2.0015785	Mains cable S360, 3 m, powerCON 32A / Edison
L2.0015786	Mains cable S360, 3 m, powerCON 32A / Chinese
L2.0015787	Mains cable S360, 3 m, powerCON 32A / Japanese
L2.0015788	Mains cable S360, 3 m, powerCON 32A / Bare Ends

AC Cables

Daisy Chain Cables

The Daisy Chain Cable allows for SkyPanel PSU to PSU mains power connection. A SkyPanel PSU is thereby able to pass AC power through to another PSU.

- Length: 3 m (9.8 ft.)
- Male to female powerCON TRUE1 TOP connector (NAC3MX-W-TOP, NAC3FX-W-TOP)
- 16 A max current
- Insulated rubber cable H07RN-F 3G1,5, EN
- Rubber insulated cable SJO(OW) 3x14AWG, UL (Edison)
- Insulated rubber cable HVCTF 3x2,0, PSE (Japanese)

L2.0010633	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP (EN*)
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP (UL*)
L2.0012663	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP (PSE*)

***Only for S30, S60 or S120 PSU.**

DC Cables

DC Cables (XLR) SkyPanel

The DC Cable connects the SkyPanel PSU to the SkyPanel lamphead. Only for S30, S60 and S120 SkyPanels.

- 3-Pin XLR Female to 3-Pin XLR Male
- Special SkyPanel 10 mm Diameter Cable

L2.0007492	DC Cable 0.5 m (XLR) SkyPanel
L2.0007491	DC Cable 1 m (XLR) SkyPanel
L2.0007493	DC Cable 3 m (XLR) SkyPanel
L2.0007494	DC Cable 10 m (XLR) SkyPanel
L2.0007860	DC Cable 15 m (XLR) SkyPanel

DC Cables for SkyPanel S360

The DC Cable connects the S360 PSU to the S360 lamphead.

- 4-Pin locking female to 4-Pin locking male connectors
- High current cable specially for SkyPanel S360

L2.0016030	DC Cable 5 m (4-Pin) SkyPanel S360
L2.0016031	DC Cable 10 m (4-Pin) SkyPanel S360

PSU Attachments

Rail Mount Adapter for SkyPanel PSU

The Rail Mount Adapter attaches to the SkyPanel PSU (no tools required) and allows for the mounting of the PSU to the rail mount system on the back of the SkyPanel lamphead. If an all-in-one system is required, this accessory will accomplish the task.

- Attaches to SkyPanel PSU or Battery Adapter Plates
- Tool-less system allows for quick attachment and release from the PSU
- Slides onto rail mount system on the back of SkyPanel

L2.0008082	Rail Mount Adapter for SkyPanel PSU*

***Only for S30, S60 or S120 PSU.**

Super Clamp Adapter for SkyPanel PSU

The Super Clamp Adapter attaches to the back of the SkyPanel PSU (no tools required) and allows for the mounting of the PSU to a wide variety of objects including light stand stems and truss.

- Attaches to SkyPanel PSU or Battery Adapter Plates
- Comes with Super Clamp for mounting to a variety of objects
- Tool-less system allows for quick attachment and release from the PSU

L2.0006921	Super Clamp Adapter for SkyPanel PSU

Space Light Silk Mounting Adapter S60

The Space Light Silk Mounting Adapter slides on to the spigot of the SkyPanel S60 and allows for the attachment of a standard 5K/6K space light silk and skirt. This simple system fits a wide variety of industry standard space light accessories.

- Main collar slides on to 28 mm (Junior) Spigot of the SkyPanel S60
- Three aircraft cables and carabineers allow for quick and easy attachment of industry standard space light accessories
- Available hole for safety chain

L2.0014566	Space Light Silk Mounting Adapter S60-Universal

Safety Cables

The Safety Cable will provide an extra level of safety once attached properly to the SkyPanel or the SkyPanel accessory.

- Loop at one end, a carabiner at the other
- Identification plate with length, diameter and maximum load

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg*
L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg*
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg*
L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg*
L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg*
L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg*

***These products are not available for the US market.**

Molded Cases

Cases for S30, S60 and S120

L2.0010639	Case for SkyPanel S30 - Single
L2.0010640	Case for SkyPanel S30 - Double

L2.0015848	Case for SkyPanel S60 - Single - US Version
L2.0023806	Case for SkyPanel S60 - Single - EU Version

L2.0013695	Case for SkyPanel S120 - Manual
L2.0013694	Case for SkyPanel S120 - Center Mount

These heavy-duty molded cases for the S30, S60 and S120 are perfect for transporting the SkyPanel without the risk of damage. Several compartments keep the SkyPanel and its parts organized and protected.

- Robust plastic molded case for the SkyPanel S30, S60 and S120
- Additional space for SkyPanel PSU, diffusion panels, power cables, and PSU Rail Mount Adapter
- Two wheels and handles for convenient mobility
- Single: Holds one SkyPanel lamphead
- Double: Holds two SkyPanel lampheads
- Manual: Holds SkyPanel with Manual Yoke
- Center Mount: Holds SkyPanel with Center Mount Yoke

Hard Cases

Case for S360

The heavy-duty, hard walled case for the S360 is perfect for transporting the SkyPanel and many accessories without the risk of damage. Several slots and compartments keep the SkyPanel and its parts organized and protected.

- Robust, hard case for the SkyPanel S360
- Holds SkyPanel S360 with yoke and spigot attached
- 5 Slots for Diffusions and/or Honeycombs
- Compartments for accessories
- Multiple handles for four wheels for hassle-free moving
- Hinged door design for easy access to all parts

L2.0016354	Case for SkyPanel S360 - Hard Single

Cases and bags

SkyPanel Accessory Panel Bags

SkyPanel Accessory Panel Bags

The SkyPanel Accessory Panel Bag provides protection and easy transportation of SkyPanel diffusions, intensifiers and/or honeycomb accessories and remote phosphor panels. This reinforced, robust bag allows for 4 accessory panels to be stored at one time.

- Carrying bag for SkyPanel S30, S60 or S120 accessories
- Reinforced black fabric with Velcro fastener incl. carrying handle
- 4 partitions for max. 4 panels or honeycombs (e.g. 1 x Diffusion or RP-Panel, 1 x Intensifier, 2 x Honeycombs)

L2.0008309	Accessory Panel Bag S30
L2.0008306	Accessory Panel Bag S60
L2.0013780	Accessory Panel Bag S120

SkyPanel Diffusion Kits

SkyPanel Diffusion Kits

The SkyPanel Diffusion Kits are a convenient way to complete your set of SkyPanel diffusions and intensifier. The kit is for C-models and includes the Lite and Heavy Diffusion and Intensifier. It comes packaged in the padded and robust SkyPanel Accessory Panel Bag for easy transportation.

- Includes Lite & Heavy Diffusion, Intensifier and Accessory Panel Bag
- Great for completing your kit with one purchase

L0.0008468	Diffusion Kit S30-C
L0.0008461	Diffusion Kit S60-C
L0.0015070	Diffusion Kit S120-C

Resources and Contacts

ARRI Sales Contacts

Europe, Middle East, Africa, India

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG (Sales & Service)
Ernst-Augustin-Strasse 12, 12489 Berlin, Germany
sales-lighting@arri.de
Phone: +49 (0)30 678 233 0, Fax: +49 (0)30 678 233 99

ARRI Italia S.r.l. (Sales & Service)
via Achille Grandi, 50, 20017 Rho (Milan), Italy
info@arri.it
Phone: +39 02 262 271 75, Fax: +39 02 242 1692

ARRI CT France Sarl (Sales)
54, Rue René Boulanger, 75010 Paris, France
france@arri.de
Phone: +33 1 42 41 29 95

ARRI Middle East DMCC (Sales)
JBC3, Office No. 2405, P.O. BOX NO 336550
Jumeirah Lake Towers, Dubai,
United Arab Emirates
info@arrime.com
Phone: +9714 4229957, Fax: +9714 4397001

Americas

ARRI Brasil Ltda.
Avenida Ibirapuera, 2907 - Cj. 421 Indianópolis
04029-200 São Paulo - SP, Brazil
arribrasil@arri.com
Phone: +55 11 5041-9450

ARRI Inc. / West Coast & Mexico (Sales & Service)
3700 Vanowen Street, Burbank, CA 91505, USA
info@arri.com
Phone: +1 818 841 7070, Fax: +1 818 848 4028

ARRI Inc. / East Coast (Sales & Service)
617 Route 303, Blauvelt, NY 10913-1109, USA
info@arri.com
Phone: +1 845 353 1400, Fax: +1 845 425 1250

ARRI Inc. / Central & Southern America (Sales)
2385 Stirling Road, Ford Lauderdale, FL 33312, USA
ventas@arri.com
Phone: +1 954 322 4545, Fax: +1 954 322 4188

ARRI Canada Limited (Sales & Service)
1200 Aerowood Drive,
Unit 29 Mississauga, Ontario L4W 2S7
info@arri.com
Phone: +1 416 255 3335, Fax: +1 416 255 3399

Asia

ARRI Asia Limited (Sales & Service)
41/F, One Kowloon, 1 Wang Yuen Street
Kowloon Bay, Hong Kong
info@arriasia.hk
Phone: +852 2571 6288, Fax : +852 2875 9181

ARRI China (Beijing) Co. Ltd. (Sales & Service)
Chaowai SOHO Tower C, 6/F, 0628/0656
Chaowai Dajie Yi 6, Beijing, China
store@arri.cn
Phone: +86 10 59009680, Fax : +86 10 59009679

Australia / New Zealand

ARRI Australia Pty Ltd (Sales & Service)
Level 1, Unit 1, 706 Mowbray Road,
Lane Cove NSW 2066, Sydney, Australia
info@arri.com.au
Phone: +61 2 9855 4300, Fax: +61 2 9855 4301

ARRI Service Contacts

Zone	Availability	Service Center	E-Mail	Telephone Hotline
1	Monday – Thursday: 07:00 – 17:00 (CET) Friday: 07:00 – 15:00 (CET)	**Stephanskirchen, Germany** Arnold & Richter Cine Technik	service-lighting@arri.de	+49 (0)8036 3009 3009
2	Monday – Friday: 09:00 – 17:30 (EST)	**New York, USA** ARRI Inc. East Coast	service-lighting@arri.com	+1 845 353 1400
	Monday – Friday: 08:30 – 17:15 (PST)	**Burbank, USA** ARRI Inc. West Coast	service-lighting@arri.com	+1 818 841 7070
3	Monday – Friday: 09:00 – 18:00 (HKT)	**Hong Kong, China** ARRI Asia Limited	service@arriasia.hk	+852 2537 4266
	Monday – Friday: 09:00 – 18:00 (CST)	**Beijing, China** ARRI China (Beijing) Co. Ltd.	service@arri.cn	+86 5900 9680
	Monday – Friday: 08:00 – 17:00 (AEST)	**Sydney, Australia** ARRI Australia Pty Limited	service-lighting@arri.com.au	+61 2 9855 4305

ARRI Group

● **ARRI Group**

Service and support partners – contact details: www.arri.com

Online Resources

Downloads

SkyPanel	www.arri.com/en/lighting/led/skypanel
SkyPanel Accessories	www.arri.com/en/lighting/led/skypanel/skypanel-accessories
Stellar	www.arri.com/stellar

Software & Tools

SkyPanel Firmware	www.arri.com/en/technical-service/firmware
ARRI Lighting Service Manager	www.arri.com/en/learn-help/lighting
Lighting Apps	www.arri.com/en/learn-help/lighting
Lighting Handbook & Product Catalogue	www.arri.com/en/learn-help/lighting

This ARRI SkyPanel Accessory Guide (Ident.-Nr.: 80.0008406 /L03627) is published by Arnold & Richter Cine Technik, November 2020 © ARRI/2020. Technical data and offerings are subject to change without notice. All rights reserved. Without any warranty. Not binding 11/2020.
ARRI, the ARRI Logo, ARRIMAX, ARRISUN, EB, LiOS, L-Series, MAX Technology, M-Series, Orbiter, POCKETPAR, Quick Lighting Mount, True Blue, SkyPanel, SKYPANEL, T 12 and T 24 are registered Trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG · Herbert-Bayer-Strasse 10 · 80807 Munich
Tel +49 (0)89 3809 0 · Fax +49 (0)89 3809 1245 · www.arri.com

Resources and Contacts

ARRI

SKYPANEL

SOFT LIGHTING | REDEFINED

Explore the SkyPanel: www.arri.com/skypanel